NATIONAL MILK DRUG RESIDUE DATA BASE

FISCAL YEAR 2010 ANNUAL REPORT

October 1, 2009 - September 30, 2010

Submitted by:

GLH, Incorporated 2900 NE 46th Street Lighthouse Point, FL 33064 954-783-9819

Contract Number: HHSF 223 2008 40150C

February 9, 2011

SECTION	PAGE
INTRODUCT	TION
BACKGROU	ND1
SUMMARY .	
SAMPLE RES	SULTS
TABLE 1	Sample Results
TABLE 2	Industry and Regulatory Samples
TESTS CONI	DUCTED
TABLE 3 TABLE 3A TABLE 3B	Tests Conducted by Sample Sources5Validated Tests Conducted6Non-Validated Tests Conducted6
TABLE 4 TABLE 4A TABLE 4B	Tests Conducted by Industry and Regulatory Agencies
TABLE 5 TABLE 5A TABLE 5B	Number of Tests Conducted by Family/Drug10Validated Number of Tests Conducted by Family/Drug11Non-Validated Number of Tests Conducted by Family/Drug11
TABLE 6 TABLE 6A	Number of Tests by Method by Family/Drug12Comparison of Validated and Non-Validated Tests14
TABLE 7-1	Grade "A" Bulk Milk Pick-Up Tanker Testing 15
TABLE 7-2	Grade "A" Pasteurized Fluid Milk and Milk Products Testing
TABLE 7-3	Grade "A" Producer Testing
TABLE 7-4	Grade "A" Other Testing (Milk from milk plant silos, milk transport tankers, etc) 16
TABLE 7-5	Non-Grade "A" Bulk Milk Pick-Up Tanker Testing

TABLE OF CONTENTS

TABLE OF CONTENTS

SECTION	PAGE
TABLE 7-6	Non-Grade "A" Pasteurized Fluid Milk and Milk Products Testing 17
TABLE 7-7	Non-Grade "A" Producer Testing 17
TABLE 7-8	Non-Grade "A" Other Testing (Milk from milk plant silos, milk transport tankers, etc.)
TABLE 8-1	Number of Tests by Method by Family/Drug for Grade "A" Bulk Milk Pick-Up Tanker Testing
TABLE 8-2	Number of Tests by Method by Family/Drug for Grade "A" Pasteurized Fluid Milk and Milk Products Testing
TABLE 8-3	Number of Tests by Method by Family/Drug for Grade "A"Producer Testing21
TABLE 8-4	Number of Tests by Method by Family/Drug for Grade "A" Other Testing (Milk from milk plant silos, milk transport tankers, etc.)
TABLE 8-5	Number of Tests by Method by Family/Drug for Non-Grade "A" Bulk Milk Pick-Up Tanker Testing
TABLE 8-6	Number of Tests by Method by Family/Drug for Non-Grade "A" Pasteurized Fluid Milk and Milk Products Testing
TABLE 8-7	Number of Tests by Method by Family/Drug for Non-Grade "A"Producer Testing24
TABLE 8-8	Number of Tests by Method by Family/Drug for Non-Grade "A" Other Testing (Milk from milk plant silos, milk transport tankers, etc.)

NATIONAL MILK DRUG RESIDUE DATA BASE FISCAL YEAR 2010 ANNUAL REPORT

October 1, 2009 - September 30, 2010

INTRODUCTION

The National Milk Drug Residue Data Base (NMDRD) is a voluntary industry reporting program. Mandatory reporting is required by State Regulatory Agencies under the National Conference on Interstate Milk Shipments (NCIMS). Data are reported on the extent of the national testing activities, the analytical methods used, the kind and extent of the animal drug residues identified, and the amount of contaminated milk that was removed from the human food supply. The system includes all milk, Grade "A" and non-Grade "A", commonly known as manufacturing grade. Grade "A" milk represents approximately 95% of the milk supply in the United States and is regulated through the NCIMS by the State Regulatory Agencies. Manufacturing grade milk is under the direction of the Regulatory Agencies in the States where it is produced and may be subject to the standards recommended by the United States Department of Agriculture (USDA). Data reported to the NMDRD are for educational and analytical purposes and are not intended or suitable for regulatory action or follow-up.

BACKGROUND

The NCIMS is a voluntary organization directed and controlled by member States to promote the availability of a high quality milk supply. The Food and Drug Administration (FDA) and the NCIMS through their collaborative efforts have developed a cooperative, federal-state program (the Grade "A" Interstate Milk Shippers program) to ensure the sanitary quality of Grade "A" milk and milk products shipped in interstate commerce. During the 1991 meeting of the NCIMS, the Conference authorized a national program to compile the results of milk residue testing by industry and State Regulatory Agencies.

Subsequently, FDA awarded a contract to develop a NMDRD. The data base is operated by an independent third party, under contract to the FDA. The data base design was developed in consultation with a project advisory group with members from the FDA and a NCIMS committee representing dairy producers, dairy processors, USDA, State Regulatory Agencies, and academia. The data base was designed to promote maximum participation by the dairy industry to report on a voluntary basis all of their testing results, without compromising any confidential data. Information regarding individual firm's data is not submitted to the data base contractor.

It is important to recognize that the samples and tests reported do not necessarily represent one hundred percent (100%) of the milk supply from every State. However, as State and industry participation in the data base increased, reporting of the number of samples and tests similarly increased.

Continuing efforts are being made to ensure that there is uniform reporting among all the States and the industry and to ensure that the drugs and test methods reported are correct.

During FY 2006, a web-based version of the reporting software was developed, field evaluated, and then made available to all data reporters on September 1, 2006. Instructions for registering and using the software are posted on the contractor's web site at: <u>www.kandc-sbcc.com/nmdrd/.</u> Forty-four (44) data reporters utilized the web-based software to submit all or part of their data for the FY 2010 Annual Report.

At the request of one of the attendees at a meeting of the NCIMS, the contractor converted all of the tabular information from previous Annual Reports into Microsoft Excel format and posted them on the contractor's web site at: <u>www.kandc-sbcc.com/nmdrd/.</u> All of the Annual Reports are now available in Portable document file (pdf), Microsoft Excel and Open Document Spreadsheet (ods) formats.

SUMMARY

This report presents summary data on samples and tests conducted during Fiscal Year 2010 (October 1, 2009 to September 30, 2010). All fifty (50) States and Puerto Rico submitted data for this report. We appreciate all the data provider's cooperation for this fiscal year's report. It is the first reporting year since FY 2004 in which all providers submitted data.

The Grade "A" Pasteurized Milk Ordinance (PMO), the regulations, which govern the State Regulatory Agencies in the implementation and enforcement of their Grade "A" milk safety program, requires that all bulk milk tankers be sampled and analyzed for animal drug residues before the milk is processed. Any bulk milk tanker found positive is rejected for human consumption.

During this period **3,881,478** samples were analyzed for animal drug residues. Of these samples **1,245** were positive for a residue. A total of **3,892,196** tests were reported on the samples for **ten** (10) different groups of families or individual drugs. **Thirty** (30) testing methods were used to analyze the samples for drug residues. Details are presented in the Tables in this report.

SAMPLE RESULTS

A <u>SAMPLE</u> is defined as representing a load or lot of milk sampled and analyzed, e.g. a bulk milk pick-up tanker, producer, milk transport tanker, a silo, etc.

Table 1 shows the results of the samples tested by source.

Data are reported by four SOURCES OF SAMPLES:

- 1. <u>Bulk Milk Pick-Up Tanker</u> bulk raw milk from a dairy farm.
- 2. <u>Pasteurized Fluid Milk and Milk Products</u> after pasteurization; finished product in package form or bulk. This term includes milk products such as milk, cream, condensed and dry milk and milk products, and condensed and dry whey and whey products.
- 3. <u>Producer</u> raw milk obtained from the bulk tank/silo from a dairy farm. Samples are reported by the permitting State, rather than by the analyzing State.

4. <u>Other</u> - raw milk from milk plant silos, milk transport tankers, etc.

A <u>POSITIVE</u> result, as used in this report, means that the sample was found to be positive for a drug residue by a test acceptable for taking regulatory action in a certified laboratory by a certified analyst or the milk was rejected on the basis of an initial screening test by the milk processor.

The <u>DISPOSITION per PMO</u> column represents the amount of milk contained in the tank or lot found to be positive and disposed of in accordance with the PMO and/or applicable State regulations.

TABLE 1 Sample ResultsOctober 1, 2009 to September 30, 2010								
Source of Sample	Total Samples	Number Positive	Percent Positive	Disposition per PMO (Pounds)				
Bulk Milk Pick-Up Tanker	3,204,371	802	0.025%	33,457,000				
Pasteurized Fluid Milk and Milk Products	44,777	1	0.002%	49,000				
Producer	545,148	431	0.079%	1,491,000				
Other	87,182	11	0.013%	437,000				
TOTALS	3,881,478	1,245	*	35,434,000				

The asterisk (*) notes that a summary of the percent positive cannot be provided because there is no uniformity in terms of sampling in the four categories. For example, the PMO sets forth specific sampling requirements for Beta lactams testing as follows:

- 1. <u>Bulk Milk Pick-Up Tanker Samples</u> -- samples are taken on receipt of every tanker load;
- 2. <u>Pasteurized Fluid Milk and Milk Products</u> -- a minimum of four samples in at least four separate months, except when three months show a month containing two sampling dates separated by at least twenty days, must be tested for each finished milk or milk product from each plant during any consecutive six months;
- 3. <u>Producer</u> -- each producer must be tested at least four times in at least four separate months, except when three months show a month containing two sampling dates separated by at least twenty days, during any consecutive six months; and
- 4. <u>Other</u> -- samples are conducted on a random basis.

Table 2 presents these results in greater detail and shows the number of samples conducted by industry and by State Regulatory Agencies. Industry samples are taken by processing facilities, receiving and transfer stations, and marketing groups or cooperatives. Industry sampling and testing may be conducted to meet the industry requirements of Appendix N of the PMO, which sets forth testing and reporting requirements for animal drug residues or for quality control purposes. Regulatory samples are taken by State and Local Regulatory Agencies.

TABLE 2 Industry and Regulatory Samples October 1, 2009 to September 30, 2010									
Source of Sample	Number of Industry Samples	Number of Positive Industry Samples	Number of Regulatory Samples	Number of Positive Regulatory Samples	Total Samples	Total Positive Samples	Total Percent Positive	Disposition Per PMO (Pounds)	
GRADE A									
Bulk Milk Pick-Up Tanker	2,958,902	728	9,155	2	2,968,057	730	0.025%	30,933,000	
Pasteurized Fluid Milk and Milk Products	4,757	0	38,455	1	43,212	1	0.002%	49,000	
Producer	394,293	334	120,514	63	514,807	397	0.077%	1,491,000	
Other	67,793	9	10,866	2	78,659	11	0.014%	437,000	
NON-GRADE A									
Bulk Milk Pick-Up Tanker ¹	235,984	72	330	0	236,314	72	0.030%	2,524,000	
Pasteurized Fluid Milk and Milk Products	1,487	0	78	0	1,565	0	0.000%	0,000	
Producer	29,736	34	605	0	30,341	34	0.112%	0,000	
Other	8,350	0	173	0	8,523	0	0.000%	0,000	
TOTALS	3,701,302	1,177	180,176	68	3,881,478	1,245	*	35,434,000 ²	

¹It is a common practice in some States, including two large milk production States, that bulk milk pick-up tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A".

 2 Note that this represents <u>0.019%</u> of the total milk supply of the United States with an annual production of 191.4 billion pounds. *See Table 1 for explanation

TESTS CONDUCTED

An objective of the NMDRD is to record every test run on each sample analyzed. Since some samples are analyzed for more than one drug residue, the number of <u>tests</u> conducted (3,892,196) is greater than the number of <u>samples</u> (3,881,478). To avoid duplicate reporting of <u>samples</u>, the number of <u>samples</u> analyzed is reported separately from the number of <u>tests</u> run in the data base.

Table 3 presents summary results of the number of tests which were conducted during October 1, 2009 to September 30, 2010. The term, validated test, as used in this report, is a test used for the screening of raw milk for drug residue, which has been evaluated in accordance with Appendix N of the PMO and found acceptable by FDA in accordance with the standards established for the evaluation of these types of tests. In addition, FDA validated drug residue detection procedures for screening and quantization of drug residues in milk may be used. Table 3A presents summary results using validated tests and Table 3B presents summary results using non-validated tests.

TABLE 3 Tests ConductedOctober 1, 2009 to September 30, 2010								
Source of Sample	Total Tests	Number of Tests Positive	Percent Positive					
Bulk Milk Pick-Up Tanker	3,213,465	803	0.025					
Pasteurized Fluid Milk and Milk Products	44,814	1	0.002					
Producer	546,721	431	0.079					
Other	87,196	11	0.013					
TOTALS	3,892,196	1,246	*					

*See Table 1 for explanation

TABLE 3A – Validated Tests ConductedOctober 1, 2009 to September 30, 2010							
Source of Sample	Total Tests	Number of Tests Positive	Percent Positive				
Bulk Milk Pick-Up Tanker	3,159,401	774	0.024				
Pasteurized Fluid Milk and Milk Products	44,649	1	0.002				
Producer	546,719	431	0.079				
Other	83,660	11	0.013				
TOTALS	3,834,429	1,217	*				

*See Table 1 for explanation

TABLE 3B Non-Validated Tests ConductedOctober 1, 2009 to September 30, 2010								
Source of Sample	Total Tests	Number of Tests Positive	Percent Positive					
Bulk Milk Pick-Up Tanker	54,064	29	0.054					
Pasteurized Fluid Milk and Milk Products	165	0	0.000					
Producer	2	0	0.000					
Other	3,536	0	0.000					
TOTALS	57,767	29	*					

*See Table 1 for explanation

Table 4 presents additional details in terms of the tests conducted by industry and by State Regulatory Agencies. Tables 4A and 4B present these data by validated and non-validated tests.

TABLE 4 Tests Conducted by Industry and Regulatory Agencies October 1, 2009 to September 30, 2010								
Source of Sample	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Total Percent Positive	
GRADE A								
Bulk Milk Pick-Up Tanker	2,967,866	729	9,285	2	2,977,151	731	0.025%	
Pasteurized Fluid Milk and Milk Products	4,757	0	38,491	1	43,248	1	0.002%	
Producer	395,763	334	120,617	63	516,380	397	0.077%	
Other	67,794	9	10,879	2	78,673	11	0.014%	
NON-GRADE A								
Bulk Milk Pick-Up Tanker ¹	235,984	72	330	0	236,314	72	0.030%	
Pasteurized Fluid Milk and Milk Products	1,488	0	78	0	1,566	0	0.000%	
Producer	29,736	34	605	0	30,341	34	0.112%	
Other	8,350	0	173	0	8,523	0	0.000%	
TOTALS	3,711,738	1,178	180,458	68	3,892,196	1,246	*	

¹It is a common practice in some States, including two large milk production States, that bulk milk pick-up tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A". *See Table 1 for explanation

TABLE 4A Validated Tests Conducted by Industry and Regulatory Agencies October 1, 2009 to September 30, 2010							
Source of Sample	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Total Percent Positive
GRADE A							
Bulk Milk Pick-Up Tanker	2,914,963	700	8,124	2	2,923,087	702	0.024%
Pasteurized Fluid Milk and Milk Products	4,681	0	38,402	1	43,083	1	0.002%
Producer	395,763	334	120,615	63	516,378	397	0.077%
Other	64,735	9	10,808	2	75,543	11	0.015%
NON-GRADE A							
Bulk Milk Pick-Up Tanker ¹	235,984	72	330	0	236,314	72	0.030%
Pasteurized Fluid Milk and Milk Products	1,488	0	78	0	1,566	0	0.000%
Producer	29,736	34	605	0	30,341	34	0.112%
Other	7,944	0	173	0	8,117	0	0.000%
TOTALS	3,655,294	1,149	179,135	68	3,834,429	1,217	*

¹It is a common practice in some States, including two large milk production States, that bulk milk pick-up tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A". *See Table 1 for explanation

TABLE 4B Non-Validated Tests Conducted by Industry and Regulatory Agencies October 1, 2009 to September 30, 2010							
Source of Sample	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Total Percent Positive
GRADE A							
Bulk Milk Pick-Up Tanker	52,903	29	1,161	0	54,064	29	0.054%
Pasteurized Fluid Milk and Milk Products	76	0	89	0	165	0	0.000%
Producer	0	0	2	0	2	0	0.000%
Other	3,059	0	71	0	3,130	0	0.000%
NON-GRADE A							
Bulk Milk Pick-Up Tanker ¹	0	0	0	0	0	0	0.000%
Pasteurized Fluid Milk and Milk Products	0	0	0	0	0	0	0.000%
Producer	0	0	0	0	0	0	0.000%
Other	406	0	0	0	406	0	0.000%
TOTALS	56,444	29	1,323	0	57,767	29	*

¹It is a common practice in some States, including two large milk production States, that bulk milk pick-up tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A". *See Table 1 for explanation

TABLE 5 Number of Tests Conducted by Family/DrugOctober 1, 2009 to September 30, 2010						
Family/Drug	Total Tests	Total Positive				
AMINOGLYCOSIDES	26	8 0				
AMPHENICOLS		2 0				
BETA lactams	3,812,45	7 1,213				
Cloxacillin	9	4 0				
ENROFLOXACIN	1,91	7 0				
MACROLIDES	22	2 0				
SULFONAMIDES	24,15	7 3				
Sulfadimethoxine	1,93	2 1				
Sulfamethazine	27,42	5 5				
TETRACYCLINES	23,72	2 24				
TOTALS	3,892,19	6 1,246				

Table 5 shows the number of tests conducted by the family of drugs and by individual drug. Tables 5A and 5B present these data by validated and non-validated tests.

TABLE 5A Number of Validated Tests Conducted by Family/Drug October 1, 2009 to September 30, 2010						
Family/Drug	Total Tests	Total Positive				
AMPHENICOLS	2	0				
BETA lactams	3,812,457	1,213				
Cloxacillin	94	0				
SULFONAMIDES	19,908	3				
Sulfadimethoxine	1,932	1				
TETRACYCLINES	36	0				
TOTALS	3,834,429	1,217				

TABLE 5B Number of Non-Validated Tests Conducted by Family/Drug October 1, 2009 to September 30, 2010						
Family/Drug Total Tests To Pos						
AMINOGLYCOSIDES	268	0				
ENROFLOXACIN	1,917	0				
MACROLIDES	222	0				
SULFONAMIDES	4,249	0				
Sulfamethazine	27,425	5				
TETRACYCLINES	23,686	24				
TOTALS	57,767	29				

Table 6 presents details on the tests used. The data in this table are comparable to Table 5, but the data are arranged by <u>tests</u> within each <u>family/drug</u>. Therefore, the Totals are the same in both tables. The testing methods with the largest use were: Charm SL - Beta lactams, which was used more than 2.4 <u>million</u> times, Delvotest P 5 Pack - Beta lactams which was used more than 540 thousand times, Idexx New Snap which was used more than 210 thousand times and Charm II Tablet Competitive - Beta lactams which was used for more than 169 thousand tests. Table 6A shows a comparison of tests conducted using Validated and Non-Validated test methods for Sulfonamides and Tetracyclines

Г

TABLE 6 Number of Tests by Method by Family/DrugOctober 1, 2009 to September 30, 2010						
Tests Used by Family/Drug	Number of Tests	Number Positive	Percent Positive			
AMINOGLYCOSIDES						
Charm II Tablet Competitive**	268	0	0.000%			
AMPHENICOLS						
GC Chloramphenicol - FDA Method	2	0	0.000%			
BETA lactams						
Charm BSDA Tablet - Beta lactams	40,520	34	0.084%			
Charm II Tablet Competitive	169,670	49	0.029%			
Charm II Tablet Quantitative	57	0	0.000%			
Charm II Tablet Sequential	100,450	29	0.029%			
Charm SL Beta lactams	2,440,993	525	0.022%			
Charm SL-3	86,867	22	0.025%			
Charm SL-6	162,103	58	0.036%			
Delvotest P 5 Pack - Beta lactams	540,868	392	0.072%			
Delvotest P/Delvotest P Mini	53,941	21	0.039%			
Delvotest SP/Delvotest SP Mini	201	0	0.000%			
Green Book Micro - Beta lactams	295	0	0.000%			
Idexx New Snap	210,571	82	0.039%			
Lak Tek - Beta lactams	5,409	0	0.000%			
Neogen BetaStar	512	1	0.195%			
CLOXACILLIN						
Charm II Test for Cloxacillin in Milk	94	0	0.000%			
ENROFLOXACIN						
Charm SL-Floroquinlone**	1,917	0	0.000%			

October 1, 2009 to September 30, 2010							
Tests Used by Family/Drug	Number of Tests	Number Positive	Percent Positive				
MACROLIDES							
Charm II Tablet Competitive - Macrolides**	145	0	0.000%				
Charm II Tablet Sequential - Macrolides**	77	0	0.000%				
SULFONAMIDES							
Agri-Screen for Sulfonamides** & ***	109	0	0.000%				
Charm II Tablet Competitive	19,862	3	0.015%				
Charm II Tablet Sequential**	1,819	0	0.000%				
Parallux Sulfa Trio (Reader)**	2,321	0	0.000%				
TLC Sulfonamide	46	0	0.000%				
SULFADIMETHOXINE							
HPLC 8 Sulfonamides - Sulfadimethoxine	1,932	1	0.052%				
SULFAMETHAZINE							
Charm SL - Sulfamethazine**	27,425	5	0.018%				
TETRACYCLINES							
Charm II Tablet Competitive	36	0	0.000%				
Charm SL - Tetracyclines**	12,425	11	0.089%				
Snap - Tetracyclines**	11,261	13	0.115%				
TOTALS	3,892,196	1,246	*				

TABLE 6 Number of Tests by Method by Family/Drug
October 1, 2009 to September 30, 2010

I

* See Table 1 for explanation
** Non-Validated Test Method
*** FDA evaluated these tests and they do not perform as labeled-see M-I -99-4

TABLE 6A Comparison of Validated and Non-ValidatedTests for Sulfonamides and TetracyclinesOctober 1, 2009 to September 30, 2010							
Tests By Method by Family/Drug	Number of Tests	Number Positive	Percent Positive				
VALIDATED FOR SULFONAMIDES							
Charm II Tablet Competitive	19,862	3	0.015%				
TLC Sulfonamide	46	0	0.000%				
VALIDATED FOR SULFADIMETHOXINE							
HPLC 8 Sulfonamides - Sulfadimethoxine	1,932	1	0.052%				
NON-VALIDATED FOR SULFONAMIDES							
Agri-Screen for Sulfonamides** & ***	109	0	0.000%				
Charm II Tablet Sequential**	1,819	0	0.000%				
Parallux Sulfa Trio (Reader)**	2,321	0	0.000%				
NON-VALIDATED FOR SULFAMETHAZINE							
Charm SL - Sulfamethazine**	27,425	5	0.018%				
VALIDATED FOR TETRACYCLINES							
Charm II Tablet Competitive	36	0	0.000%				
NON-VALIDATED FOR TETRACYCLINES							
Charm SL - Tetracyclines**	12,425	11	0.089%				
Snap - Tetracyclines**	11,261	13	0.115%				
TOTALS	77,236	33	*				

* See Table 1 for explanation ** Non-Validated Test Method *** FDA evaluated these tests and they do not perform as labeled-see M-I -99-4

Tables 7-1 to 7-8 present additional details of the testing conducted. These Tables show the testing by the family of drugs and by individual drugs and present results in terms of Grade "A" and Non-Grade "A" testing. Data on individual drugs listed in these Tables, e.g., Cloxacillin, Sulfamethazine, etc., are not included in the Totals for the family of drugs, e.g., Beta lactams, Sulfonamides, etc

TABLE 7-1 Grade A Bulk Milk Pick-Up Tanker TestingOctober 1, 2009 to September 30, 2010								
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests		
AMINOGLYCOSIDES	268	0	0	0	268	0		
AMPHENICOLS	0	0	2	0	2	0		
BETA lactams	2,894,076	696	8,034	2	2,902,110	698		
Cloxacillin	0	0	70	0	70	0		
ENROFLOXACIN	1,917	0	0	0	1,917	0		
MACROLIDES	193	0	0	0	193	0		
SULFONAMIDES	22,570	3	18	0	22,588	3		
Sulfadimethoxine	1,932	1	0	0	1,932	1		
Sulfamethazine	26,743	5	0	0	26,743	5		
TETRACYCLINES	20,167	24	1,161	0	21,328	24		
TOTALS	2,967,866	729	9,285	2	2,977,151	731		

TABLE 7-2 Grade A Pasteurized Fluid Milk and Milk Products TestingOctober 1, 2009 to September 30, 2010							
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	
BETA lactams	4,555	0	38,402	1	42,957	1	
SULFONAMIDES	126	0	0	0	126	0	
Sulfamethazine	76	0	0	0	76	0	
TETRACYCLINES	0	0	89	0	89	0	
TOTALS	4,757	0	38,491	1	43,248	1	

TABLE 7-3 Grade A Producer TestingOctober 1, 2009 to September 30, 2010							
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	
BETA lactams	395,183	334	120,548	63	515,731	397	
Cloxacillin	0	0	1	0	1	0	
MACROLIDES	0	0	2	0	2	0	
SULFONAMIDES	580	0	66	0	646	0	
TOTALS	395,763	334	120,617	63	516,380	397	

Г

TABLE 7-4 Grade A Other Testing (milk from silos, milk transport tankers, etc.)October 1, 2009 to September 30, 2010							
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	
BETA lactams	64,705	9	10,616	2	75,321	11	
Cloxacillin	0	0	23	0	23	0	
MACROLIDES	27	0	0	0	27	0	
SULFONAMIDES	222	0	169	0	391	0	
Sulfamethazine	535	0	71	0	606	0	
TETRACYCLINES	2,305	0	0	0	2,305	0	
TOTALS	67,794	9	10,879	2	78,673	11	

TABLE 7-5 Non-Grade A Bulk Milk Pick-Up Tanker TestingOctober 1, 2009 to September 30, 2010						
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
BETA lactams	235,984	72	330	0	236,314	72
TOTALS	235,984	72	330	0	236,314	72

TABLE 7-6 Non-Grade A Pasteurized Fluid Milk and Milk Products TestingOctober 1, 2009 to September 30, 2010						
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
BETA lactams	1,488	0	78	0	1,566	0
TOTALS	1,488	0	78	0	1,566	0

-

TABLE 7-7 Non-Grade A Producer TestingOctober 1, 2009 to September 30, 2010						
Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
BETA lactams	29,736	34	605	0	30,341	34
TOTALS	29,736	34	605	0	30,341	34

TABLE 7-8 Non-Grade A Other Testing (milk from silos, milk transport tankers, etc.) October 1, 2009 to September 30, 2010											
Family/Drug	Number of IndustryNumber of PositiveNumber of RegulatoryNumber of PositiveTotal TestsTotal PositiveTestsIndustry TestsRegulatory TestsPositive RegulatoryTestsPositive Tests										
BETA lactams	7,944	0	173	0	8,117	0					
SULFONAMIDES	406	0	0	0	406	0					
TOTALS	8,350	0	173	0	8,523	0					

Tables 8-1 to 8-8 present details on the number of tests conducted by industry and by State Regulatory Agencies. The data are arranged by <u>test</u> within each <u>family/drug</u> and present results in terms of sample type and Grade "A" and Non-Grade "A" testing.

Tab	Grad	le A Bulk I	ests by Met Milk Pick-U to Septemb	-	nily/Drug		
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
AMINOGLYCOSIDES							
Charm II Tablet Competitive**	268	0	0	0	268	0	0.000%
AMPHENICOLS							
GC Chloramphenicol - FDA Method	0	0	2	0	2	0	0.000%
BETA lactams							
Charm BSDA Tablet - Beta lactams	21,961	11	0	0	21,961	11	0.050%
Charm II Tablet Competitive	165,554	49	3	0	165,557	49	0.030%
Charm II Tablet Quantitative	0	0	57	0	57	0	0.000%
Charm II Tablet Sequential	95,297	28	112	0	95,409	28	0.029%
Charm SL Beta lactams	2,172,175	449	1,110	2	2,173,285	451	0.021%
Charm SL-3	79,943	20	4	0	79,947	20	0.025%
Charm SL-6	150,992	52	13	0	151,005	52	0.034%
Delvotest P 5 Pack - Beta lactams	9,709	12	4,083	0	13,792	12	0.087%
Delvotest P/Delvotest P Mini	3,291	0	2,558	0	5,849	0	0.000%
Green Book Micro - Beta lactams	295	0	0	0	295	0	0.000%
Idexx New Snap	188,963	74	94	0	189,057	74	0.039%
Lak Tek - Beta lactams	5,409	0	0	0	5,409	0	0.000%
Neogen BetaStar	487	1	0	0	487	1	0.205%

Tab	Grad	e A Bulk I	Milk Pick-U	hod by Fam Jp Tanker Jer 30, 2010	nily/Drug		
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
CLOXACILLIN							
Charm II Test for Cloxacillin in Milk	0	0	70	0	70	0	0.000%
ENROFLOXACIN							
Charm SL-Floroquinlone**	1,917	0	0	0	1,917	0	0.000%
MACROLIDES							
Charm II Tablet Competitive - Macrolides ^{**}	145	0	0	0	145	0	0.000%
Charm II Tablet Sequential - Macrolides**	48	0	0	0	48	0	0.000%
SULFONAMIDES							
Agri-Screen for Sulfonamides ^{** & ***}	109	0	0	0	109	0	0.000%
Charm II Tablet Competitive	18,919	3	18	0	18,937	3	0.016%
Charm II Tablet Sequential**	1,221	0	0	0	1,221	0	0.000%
Parallux Sulfa Trio (Reader)**	2,321	0	0	0	2,321	0	0.000%
SULFADIMETHOXINE							
HPLC 8 Sulfonamides - Sulfadimethoxine	1,932	1	0	0	1,932	1	0.052%
SULFAMETHAZINE							
Charm SL - Sulfamethazine**	26,743	5	0	0	26,743	5	0.019%
TETRACYCLINES							
Charm II Tablet Competitive	36	0	0	0	36	0	0.000%
Charm SL - Tetracyclines**	12,182	11	0	0	12,182	11	0.090%

Table 8-1 Number of Tests by Method by Family/Drug Grade A Bulk Milk Pick-Up Tanker October 1, 2009 to September 30, 2010									
Tests Used by Family/DrugNumber of Industry TestsNumber of of Industry TestsNumber of Regulatory 									
Snap - Tetracyclines**	7,949	13	1,161	0	9,110	13	0.143%		
TOTALS	2,967,866	729	9,285	2	2,977,151	731	0.025%		

le:

*** Non-Validated Test Method **** FDA evaluated these tests and they do not perform as labeled-see M-I -99-4

Table 8-2 Number of Tests by Method by Family/Drug Grade A Pasteurized Fluid Milk and Milk Products October 1, 2009 to September 30, 2010										
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive			
BETA lactams										
Charm BSDA Tablet - Beta lactams	1,565	0	1,293	0	2,858	0	0.000%			
Charm II Tablet Sequential	0	0	482	0	482	0	0.000%			
Charm SL Beta lactams	53	0	794	0	847	0	0.000%			
Charm SL-6	1,280	0	0	0	1,280	0	0.000%			
Delvotest P 5 Pack - Beta lactams	1,657	0	29,785	0	31,442	0	0.000%			
Delvotest P/Delvotest P Mini	0	0	5,235	1	5,235	1	0.019%			
Idexx New Snap	0	0	813	0	813	0	0.000%			
SULFONAMIDES										
Charm II Tablet Competitive	126	0	0	0	126	0	0.000%			
SULFAMETHAZINE										
Charm SL - Sulfamethazine**	76	0	0	0	76	0	0.000%			

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
TETRACYCLINES							
Snap - Tetracyclines**	0	0	89	0	89	0	0.000%
TOTALS	4,757	0	38,491	1	43,248	1	0.002%

** Non-Validated Test Method *** FDA evaluated these tests and they do not perform as labeled-see M-I -99-4

Tab	Table 8-3 Number of Tests by Method by Family/Drug Grade A Producer October 1, 2009 to September 30, 2010										
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive				
BETA lactams											
Charm BSDA Tablet - Beta lactams	9,504	17	1,882	2	11,386	19	0.167%				
Charm II Tablet Competitive	1,001	0	0	0	1,001	0	0.000%				
Charm II Tablet Sequential	0	0	1,830	0	1,830	0	0.000%				
Charm SL Beta lactams	11,823	9	1,375	0	13,198	9	0.068%				
Charm SL-6	6,250	6	2	0	6,252	6	0.096%				
Delvotest P 5 Pack - Beta lactams	350,618	287	87,572	55	438,190	342	0.078%				
Delvotest P/Delvotest P Mini	12,221	14	27,738	6	39,959	20	0.050%				
Delvotest SP/Delvotest SP Mini	0	0	126	0	126	0	0.000%				
Idexx New Snap	3,766	1	23	0	3,789	1	0.026%				
CLOXACILLIN											
Charm II Test for Cloxacillin in Milk	0	0	1	0	1	0	0.000%				
MACROLIDES											
Charm II Tablet Sequential - Macrolides**	0	0	2	0	2	0	0.000%				
SULFONAMIDES											

Table 8-3 Number of Tests by Method by Family/Drug Grade A Producer October 1, 2009 to September 30, 2010										
Tests Used by Family/DrugNumber of Industry TestsNumber of of Positive Industry TestsNumber of 										
Charm II Tablet Competitive	540	0	66	0	606	0	0.000%			
TLC Sulfonamide	40	0	0	0	40	0	0.000%			
TOTALS	395,763	334	120,617	63	516,380	397	0.077%			

** Non-Validated Test Method

Table 8-4 Number of Tests by Method by Family/Drug Grade A Other (milk from silos, milk transport tankers, etc.) October 1, 2009 to September 30, 2010										
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive			
BETA lactams										
Charm BSDA Tablet - Beta lactams	2,640	0	485	0	3,125	0	0.000%			
Charm II Tablet Competitive	3,112	0	0	0	3,112	0	0.000%			
Charm II Tablet Sequential	2,627	1	59	0	2,686	1	0.037%			
Charm SL Beta lactams	40,895	6	901	0	41,796	6	0.014%			
Charm SL-3	34	0	0	0	34	0	0.000%			
Charm SL-6	3,558	0	1	0	3,559	0	0.000%			
Delvotest P 5 Pack - Beta lactams	1,060	0	7,216	2	8,276	2	0.024%			
Delvotest P/Delvotest P Mini	399	0	1,733	0	2,132	0	0.000%			
Delvotest SP/Delvotest SP Mini	0	0	61	0	61	0	0.000%			
Idexx New Snap	10,355	2	160	0	10,515	2	0.019%			
Neogen BetaStar	25	0	0	0	25	0	0.000%			

	Table 8-4 Number of Tests by Method by Family/DrugGrade A Other (milk from silos, milk transport tankers, etc.)October 1, 2009 to September 30, 2010										
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive				
CLOXACILLIN											
Charm II Test for Cloxacillin in Milk	0	0	23	0	23	0	0.000%				
MACROLIDES											
Charm II Tablet Sequential - Macrolides**	27	0	0	0	27	0	0.000%				
SULFONAMIDES											
Charm II Tablet Competitive	30	0	163	0	193	0	0.000%				
Charm II Tablet Sequential ^{**}	192	0	0	0	192	0	0.000%				
TLC Sulfonamide	0	0	6	0	6	0	0.000%				
SULFAMETHAZINE											
Charm SL - Sulfamethazine**	535	0	71	0	606	0	0.000%				
TETRACYCLINES											
Charm SL - Tetracyclines**	243	0	0	0	243	0	0.000%				
Snap - Tetracyclines**	2,062	0	0	0	2,062	0	0.000%				
TOTALS	67,794	9	10,879	2	78,673	11	0.014%				

** Non-Validated Test Method

Table 8-5 Number of Tests by Method by Family/Drug Non-Grade A Bulk Milk Pick-Up Tanker October 1, 2009 to September 30, 2010											
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive				
BETA lactams											
Charm SL Beta lactams	206,030	59	244	0	206,274	59	0.029%				
Charm SL-3	6,886	2	0	0	6,886	2	0.029%				
Delvotest P 5 Pack - Beta lactams	16,638	6	86	0	16,724	6	0.036%				
Delvotest P/Delvotest P Mini	33	0	0	0	33	0	0.000%				
Idexx New Snap	6,397	5	0	0	6,397	5	0.078%				
TOTALS	235,984	72	330	0	236,314	72	0.030%				

Table 8-6 Number of Tests by Method by Family/Drug Non-Grade A Pasteurized Fluid Milk and Milk Products October 1, 2009 to September 30, 2010										
Tests Used by Family/DrugNumber of IndustryNumber of ofNumber of RegulatoryNumber of PositiveTotal TestsTotal PositivePercent 										
BETA lactams										
Delvotest P 5 Pack - Beta lactams	1,488	0	78	0	1,566	0	0.000%			
TOTALS	1,488	0	78	0	1,566	0	0.000%			

Table 8-7 Number of Tests by Method by Family/Drug Non-Grade A Producer October 1, 2009 to September 30, 2010								
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive	
BETA lactams								
Charm BSDA Tablet - Beta lactams	1,190	4	0	0	1,190	4	0.336%	
Charm SL Beta lactams	260	0	0	0	260	0	0.000%	
Delvotest P 5 Pack - Beta lactams	27,741	30	605	0	28,346	30	0.106%	
Delvotest P/Delvotest P Mini	545	0	0	0	545	0	0.000%	
TOTALS	29,736	34	605	0	30,341	34	0.112%	

Table 8-8 Number of Tests by Method by Family/Drug Non-Grade A Other (milk from silos, milk transport tankers, etc.) October 1, 2009 to September 30, 2010								
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive	
BETA lactams								
Charm II Tablet Sequential	43	0	0	0	43	0	0.000%	
Charm SL Beta lactams	5,308	0	25	0	5,333	0	0.000%	
Charm SL-6	7	0	0	0	7	0	0.000%	
Delvotest P 5 Pack - Beta lactams	2,384	0	148	0	2,532	0	0.000%	
Delvotest P/Delvotest P Mini	188	0	0	0	188	0	0.000%	
Delvotest SP/Delvotest SP Mini	14	0	0	0	14	0	0.000%	
SULFONAMIDES								

Table 8-8 Number of Tests by Method by Family/Drug Non-Grade A Other (milk from silos, milk transport tankers, etc.) October 1, 2009 to September 30, 2010							
Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
Charm II Tablet Sequential**	406	0	0	0	406	0	0.000%
TOTALS	8,350	0	173	0	8,523	0	0.000%

** Non-Validated Test Method